




Water Tight Technologies, LLC  
 P.O. Box 899, Payson, AZ 85547



**SECTION 1 – PRODUCT IDENTIFICATION**

Product Name: <b>TPO Inside/Outside Corners (Heat Welded)</b>	Manufacturer's Name: <b>Water Tight Technologies, LLC</b>
Item Number(s): <b>TIC</b>	Manufacturer's Address: <b>P.O. Box 899, Payson, AZ 85547</b>
24 Hour Emergency Telephone Number: <b>CHEMTREC – United States 800-424-9300 ; International 202-483-7616 (collect)</b>	NFPA Acute Hazard Rating: <b>Health 0, Flammability 0, Reactivity 0</b> HMIS Acute Hazard Rating: <b>Health 0, Flammability 0, Reactivity 0</b>
Chemical Name/Synonyms: N/A	Chemical Family: Mixture

**SECTION 2 – CHEMICAL COMPOSITION**

Ingredient Components (chemical names) <b>Hazardous Components 1% or greater; Carcinogens 0.1% or greater:</b>	% wt or % vol	Case No.	% wt or % vol	OSHA STEL	OSHA PEL ACGIH	ACGIH TLV
<b>Non-Hazardous Ingredients</b>	<b>100</b>					
<b>Total</b>	<b>100</b>					


**There are no recognized hazards associated with normal use of this product.**

**SECTION 3 – PHYSICAL & CHEMICAL CHARACTERISTICS**

Appearance/Odor: <b>Solid with no odor. White color is stock item. Gray and tan can be special ordered.</b>	Physical State: <b>Solid</b>	Solubility in Water: <b>Insoluble</b>
Boiling Point: <b>N/A</b>	Specific Gravity (HO=1) <b>0.90 – 1.20</b>	Melting Point: <b>350° F</b>
Vapor Pressure: <b>N/A</b>	Additional Information: <b>N/A</b>	Freezing Point: <b>N/A</b>
Percent Volatiles: <b>N/A</b>	Reactivity in Water: <b>None</b>	



Water Tight Technologies, LLC  
 P.O. Box 899, Payson, AZ 85547



**SECTION 4- FIRE & EXPLOSION HAZARD DATA**


Flash Point: <b>N/A</b>	Flammable Limits (in air): <b>LEL: N/A UEL: N/A</b>
Extinguishing Media: <b>Dry chemical, CO<sup>2</sup></b>	Fire Fighting Procedures: <b>Use self-contained breathing apparatus and protective clothing.</b>
Hazardous Decomposition Products: <b>Carbon dioxide, methane, propane, aldehydes and other organic vapors.</b>	Special Fire & Explosion Hazards: <b>None</b>
Method Used: <b>N/A</b>	Auto-Ignition Temperature: <b>600 - 770° F</b>

**SECTION- 5 HEALTH HAZARD DATA**

Permissible Exposure Limit: <b>N/A</b>	Signs and Symptoms of Exposure: <b>N/A</b>
Effects of Overexposure: <b>Not Hazardous</b>	
Acute: <b>N/A</b>	Carcinogenicity: <b>IARC, NTP, and OSHA do not list this product as a carcinogen.</b>
Chronic: <b>N/A</b>	
Emergency & First Aid Procedures: Eye Contact: <b>Irrigate with water for 15 minutes. Remove contact lenses, if worn. Consult medical personnel if irritation persists.</b> Skin Contact: <b>Not normally hazardous</b> Inhalation: <b>Not normally hazardous unless at elevated temperatures. Remove to fresh air.</b> Ingestion: <b>Induce vomiting. Consult a Physician</b> Primary Route of Entry: <b>None</b>	



Water Tight Technologies, LLC  
 P.O. Box 899, Payson, AZ 85547



**SECTION 6 – REACTIVITY DATA**

Stability: <b>Stable</b>	Incompatibility: <b>None known</b>
Hazardous Decomposition Products: <b>In the event of a partial combustion carbon dioxide, methane, propane, aldehydes and other organic vapors.</b>	Hazardous Polymerization: <b>Will not occur</b>
Conditions to Avoid: <b>N/A</b>	

**SECTION 7 - SPILL OR LEAK PROCEDURES**


Steps to be taken in case material is released or spilled: Small spill: <b>N/A</b>
Large Spill: <b>N/A</b>
Waste Disposal Method: <b>Dispose of in accordance with federal, state and local health and pollution laws and regulations in landfill or by incineration.</b>

**SECTION 8 – SPECIAL PROTECTION**

Respiratory Protection: <b>N/A</b>	Eye Protection: <b>Safety glasses with side shields recommended.</b>
Protective Gloves: <b>Not Required</b>	Other Protective Equipment: <b>None required under normal installation conditions.</b>
Ventilation: <b>No respirator needed.</b>	



Water Tight Technologies, LLC  
P.O. Box 899, Payson, AZ 85547



**SECTION 9 – SPECIAL PRECAUTIONS OR OTHER COMMENTS**

Storage/Handling:

**Store in cool, dry, well ventilated facility.**

Other Precautions:

**Store material in original shipping packaging.**

Work/Hygienic Practices:

**Maintain good personal hygiene practices.**

**SECTION 10 - TRANSPORTATION**

Regulatory Agency:

**Not Regulated. All components are included in the EPA Toxic Substance Control Act (TSCA) Chemical Substance Inventory**

Identification Number:

**Not Applicable**

Proper Shipping Name:

**Not Applicable**

Labels Required:

**Not Applicable**

Hazard Classification:

**EPA SARA Title III hazard class (40CFR370): None  
EPA SARA Title III Section 313 (40CFR372): None  
EPA SARA Title III (40CFR355): There are no components present in this product at a level which would require reporting.**

Other Requirements:

**Not Applicable**

**SECTION 11 – MISCELLANEOUS INFORMATION**

Additional Comments:

**None**

Date of Previous MSDS:

**N/A**

Changes Since Previous MSDS:

Telephone Number for Additional Information:

**(888) 269-2122**

**DISCLAIMER**

The information contained herein is based on data considered accurate which has been obtained from other companies and organizations. However, no warranty or representation is expressed or implied that the information is accurate, complete, or representative. Water Tight Technologies, LLC assumes no responsibility for injury to the buyer, the buyer's employees, or any third persons if reasonable safety procedures are not followed.